# RAW SEQUENCE LISTING



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	10/7145648
Source:	IFULD
Date Processed by STIC:	. 1/9/07

# ENTERED



IFW16

RAW SEQUENCE LISTING DATE: 01/09/2007
PATENT APPLICATION: US/10/714,564B TIME: 13:12:41

Input Set: N:\efs\01\_09\_07\10714564b\_efs\100086\_418\_SEQLISTING.txt
Output Set: N:\CRF4\01092007\J714564B.raw

```
4 <110> APPLICANT: Blaschuk, Orest W.
     5 . Michaud, Stephanie D.
     7 <120> TITLE OF INVENTION: COMPOUNDS AND METHODS FOR MODULATING
           FUNCTIONS OF NONCLASSICAL CADHERINS
    11 <130> FILE REFERENCE: 100086.418
    13 <140> CURRENT APPLICATION NUMBER: US 10/714,564B
    14 <141> CURRENT FILING DATE: 2003-11-14
    16 <150> PRIOR APPLICATION NUMBER: US 60/426,689
    17 <151> PRIOR FILING DATE: 2002-11-14
                                                            see p. 6
    19 <150> PRIOR APPLICATION NUMBER: US 60/426,551
    20 <151> PRIOR FILING DATE: 2002-11-14
    22 <160> NUMBER OF SEQ ID NOS: 1402
    24 <170> SOFTWARE: FastSEQ for Windows Version 4.0
    26 <210> SEQ ID NO: 1
    27 <211> LENGTH: 6
    28 <212> TYPE: PRT
    29 <213> ORGANISM: Artificial Sequence
    31 <220> FEATURE:
    32 <223> OTHER INFORMATION: Trp-containing CAR sequence
    34 <220> FEATURE:
    35 <221> NAME/KEY: VARIANT
    36 <222> LOCATION: 1
    37 <223> OTHER INFORMATION: Xaa = Glu or Ala
    39 <220> FEATURE:
    40 <221> NAME/KEY: VARIANT
    41 <222> LOCATION: 3
    42 <223> OTHER INFORMATION: Xaa = Ile or Val
    44 <220> FEATURE:
    45 <221> NAME/KEY: VARIANT
    46 <222> LOCATION: 4
    47 <223> OTHER INFORMATION: Xaa = Lys or Thr
    49 <220> FEATURE:
    50 <221> NAME/KEY: VARIANT
    51 <222> LOCATION: 5
    52 <223> OTHER INFORMATION: Xaa = Phe or Ala
    54 <220> FEATURE:
    55 <221> NAME/KEY: VARIANT
    56 <222> LOCATION: 6
    57 <223> OTHER INFORMATION: Xaa = Ala or Pro
    59 <400> SEOUENCE: 1
W--> 60 Xaa Trp Xaa Xaa Xaa Xaa
```

64 <210> SEQ ID NO: 2

DATE: 01/09/2007

```
PATENT APPLICATION: US/10/714,564B
                                                                          TIME: 13:12:41
                         Input Set : N:\efs\01 09 07\10714564b efs\100086 418 SEQLISTING.txt
                         Output Set: N:\CRF4\01092007\J714564B.raw
      65 <211> LENGTH: 6
      66 <212> TYPE: PRT
      67 <213> ORGANISM: Artificial Sequence
      69 <220> FEATURE:
      70 <223> OTHER INFORMATION: Trp-containing CAR sequence
      72 <400> SEQUENCE: 2
      73 Arg Trp Ala Pro Ile Pro
                                                                                     المنظمة المنظمة المنظمية المنظمة المنظ
المنظمة المنظمة
               ~ * 5 * * * * *
      74 1
      77 <210> SEQ ID NO: 3
      78 <211> LENGTH: 5
      79 <212> TYPE: PRT
      80 <213> ORGANISM: Unknown
      82 <220> FEATURE:
      83 <223> OTHER INFORMATION: Calcium binding motif
      85 <220> FEATURE:
      86 <221> NAME/KEY: VARIANT
      87 <222> LOCATION: 2
      88 <223> OTHER INFORMATION: Xaa = any amino acid
                                            مطؤ الدين المراجع المراجع المراجع المراجع الدين المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع
المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع
      90 <400> SEQUENCE: 3
W--> 91 Asp Xaa Asn Asp Asn --
      92 1
                5
      95 <210> SEQ ID NO: 4
      96 <211> LENGTH: 4
      97 <212> TYPE: PRT
      98 <213> ORGANISM: unknown
      100 <220> FEATURE:
      101 <223> OTHER INFORMATION: Calcium binding motif
      103 <400> SEQUENCE: 4
      104 Leu Asp Arg Glu
      105 1
      108 <210> SEQ ID NO: 5
      109 <211> LENGTH: 6
      110 <212> TYPE: PRT
      111 <213> ORGANISM: Artificial Sequence
      113 <220> FEATURE:
      114 <223> OTHER INFORMATION: Trp-containing CAR sequence
      116 <220> FEATURE:
      117 <221> NAME/KEY: VARIANT
      118 <222> LOCATION: 1
      119 <223> OTHER INFORMATION: Xaa = Gly, Asp or Ser
      121 <220> FEATURE:
      122 <221> NAME/KEY: VARIANT
      123 <222> LOCATION: 3
      124 <223> OTHER INFORMATION: Xaa = Val, Ile or Met
      126 <400> SEQUENCE: 5
W--> 127 Xaa Trp Xaa Trp Asn Gln
      128 1
                               5
      131 <210> SEQ ID NO: 6
      132 <211> LENGTH: 6
```

RAW SEQUENCE LISTING

DATE: 01/09/2007

TIME: 13:12:41

## PATENT APPLICATION: US/10/714,564B Input Set : N:\efs\01 09 07\10714564b efs\100086 418 SEQLISTING.txt Output Set: N:\CRF4\01092007\J714564B.raw 133 <212> TYPE: PRT 134 <213> ORGANISM: Artificial Sequence 136 <220> FEATURE: 137 <223> OTHER INFORMATION: Trp-containing CAR sequence 139 <400> SEQUENCE: 6 140 Ala Trp Val Ile Pro Pro 141 1 5 المراد سينج مادوا أباروسيين أبيس - 144 <210> SEQ ID NO: 7 145 <211> LENGTH: 4 146 <212> TYPE: PRT 147 <213> ORGANISM: unknown 149 <220> FEATURE: 150 <223> OTHER INFORMATION: Calcium binding motif 152 <220> FEATURE: 153 <221> NAME/KEY: VARIANT 154 <222> LOCATION: 1,3 155 <223> OTHER INFORMATION: Xaa = any amino acid 158 <400> SEQUENCE: 7 W--> 159 Xaa Asp Xaa Glu خالف المعالج على المناسب المعالج المناسب المعالج المناسب المعالج المناسب المعالج المناسب المعالج الم 160 1 163 <210> SEQ ID NO: 8 164 <211> LENGTH: 5 165 <212> TYPE: PRT 166 <213> ORGANISM: unknown 168 <220> FEATURE: 169 <223> OTHER INFORMATION: Calcium binding motif 171 <220> FEATURE: 172 <221> NAME/KEY: VARIANT 173 <222> LOCATION: 2,3,5 174 <223> OTHER INFORMATION: Xaa = any amino acid 177 <400> SEQUENCE: 8 W--> 178 Asp Xaa Xaa Asp Xaa 179 1 182 <210> SEQ ID NO: 9 183 <211> LENGTH: 4 184 <212> TYPE: PRT 185 <213> ORGANISM: unknown 187 <220> FEATURE: 188 <223> OTHER INFORMATION: Calcium binding motif 190 <400> SEQUENCE: 9 191 Met Asp Arg Glu 192 1 195 <210> SEQ ID NO: 10 196 <211> LENGTH: 4 197 <212> TYPE: PRT 198 <213> ORGANISM: unknown 200 <220> FEATURE:

RAW SEQUENCE LISTING

203 <400> SEQUENCE: 10

201 <223> OTHER INFORMATION: Calcium binding motif

RAW SEQUENCE LISTING DATE: 01/09/2007 PATENT APPLICATION: US/10/714,564B TIME: 13:12:41

Input Set : N:\efs\01\_09\_07\10714564b\_efs\100086\_418\_SEQLISTING.txt

Output Set: N:\CRF4\01092007\J714564B.raw

```
204 Leu Asp Phe Glu
 205 1
 208 <210> SEQ ID NO: 11
 209 <211> LENGTH: 4
 210 <212> TYPE: PRT
 211 <213> ORGANISM: unknown
 213 <220> FEATURE:
 214 <223> OTHER INFORMATION: Calcium binding motif
 216 <400> SEQUENCE: 11
 217 Leu Asp Tyr Glu
 218 1
 221 <210> SEQ ID NO: 12
 222 <211> LENGTH: 4
 223 <212> TYPE: PRT
 224 <213> ORGANISM: Unknown
 226 <220> FEATURE:
 227 <223> OTHER INFORMATION: Calcium binding motif
 229 <400> SEQUENCE: 12
 230 Ile Asp Arg Glu
231 1 ....
 234 <210> SEQ ID NO: 13
 235 <211> LENGTH: 4
 236 <212> TYPE: PRT
 237 <213> ORGANISM: Unknown
 239 <220> FEATURE:
 240 <223> OTHER INFORMATION: Calcium binding motif
 242 <400> SEQUENCE: 13
 243 Val Asp Arg Glu
 244 1
 247 <210> SEQ ID NO: 14
 248 <211> LENGTH: 4
 249 <212> TYPE: PRT
 250 <213> ORGANISM: Unknown
 252 <220> FEATURE:
 253 <223> OTHER INFORMATION: Calcium binding motif
 255 <400> SEQUENCE: 14
 256 Ile Asp Phe Glu
 257 1
 260 <210> SEQ ID NO: 15
 261 <211> LENGTH: 11
 262 <212> TYPE: PRT
 263 <213> ORGANISM: Unknown
 265 <220> FEATURE:
 266 <223> OTHER INFORMATION: Third calcium binding motif found within most
 267 cadherin repeats
 269 <220> FEATURE:
 270 <221> NAME/KEY: VARIANT
 271 <222> LOCATION: 1
 272 <223> OTHER INFORMATION: Xaa = Leu, Ile or Val
```

DATE: 01/09/2007 TIME: 13:12:41

Input Set : N:\efs\01\_09\_07\10714564b\_efs\100086\_418\_SEQLISTING.txt Output Set: N:\CRF4\01092007\J714564B.raw 274 <220> FEATURE: 275 <221> NAME/KEY: VARIANT 276 <222> LOCATION: 2 277 <223> OTHER INFORMATION: Xaa = any amino acid 279 <220> FEATURE: 280 <221> NAME/KEY: VARIANT 281 <222> LOCATION: 3 282 <223> OTHER INFORMATION: Xaa = Leu, Ile or Val 284 <220> FEATURE: 285 <221> NAME/KEY: VARIANT 286 <222> LOCATION: 4,6 287 <223> OTHER INFORMATION: Xaa = any amino acid 289 <220> FEATURE: 290 <221> NAME/KEY: VARIANT 291 <222> LOCATION: 9 292 <223> OTHER INFORMATION: Xaa = Asn or His 294 <220> FEATURE: 295 <221> NAME/KEY: VARIANT The second of th 296 <222> LOCATION: 10 297 <223> OTHER INFORMATION: Xaa = any amino acid 300 <400> SEQUENCE: 15 W--> 301 Xaa Xaa Xaa Xaa Asp Xaa Asn Asp Xaa Xaa Pro 302 1 305 <210> SEQ ID NO: 16 306 <211> LENGTH: 6 307 <212> TYPE: PRT 308 <213> ORGANISM: Artificial Sequence 310 <220> FEATURE: 311 <223> OTHER INFORMATION: Representative atypical cadherin Trp-containing 312 CAR sequence 314 <400> SEQUENCE: 16 315 Gly Trp Val Trp Asn Gln 316 1 319 <210> SEQ ID NO: 17 320 <211> LENGTH: 6 321 <212> TYPE: PRT 322 <213> ORGANISM: Artificial Sequence 324 <220> FEATURE: 325 <223> OTHER INFORMATION: Representative atypical cadherin Trp-containing 326 CAR sequence 328 <400> SEQUENCE: 17 329 Asp Trp Ile Trp Asn Gln 330 1 5 333 <210> SEQ ID NO: 18 334 <211> LENGTH: 6 335 <212> TYPE: PRT 336 <213> ORGANISM: Artificial Sequence

339 <223> OTHER INFORMATION: Representative atypical cadherin Trp-containing

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/714,564B

338 <220> FEATURE:

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/10/714,564B

DATE: 01/09/2007 TIME: 13:12:42

and the management of the state of the state of

FYI

Input Set : N:\efs\01\_09 07\10714564b\_efs\100086\_418\_SEQLISTING.txt

Output Set: N:\CRF4\01092007\J714564B.raw

### Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,3,4,5,6 Seq#:3; Xaa Pos. 2 Seq#:5; Xaa Pos. 1,3 Seq#:7; Xaa Pos. 1,3 Seq#:8; Xaa Pos. 2,3,5 Seq#:15; Xaa Pos. 1,2,8,4,6,9,10 Seq#:167; Xaa Pos. 1,3,4,5,6 Seq#:1310; Xaa Pos. 2,3,4,5,6,7 Seq#:1311; Xaa Pos. 1,3,4,5,6,7,8 Seq#:1331; Xaa Pos. 2 Seq#:1332; Xaa Pos. 2 Seq#:1340; Xaa Pos. 5 Seq#:1343; Xaa Pos. 2 Seq#:1344; Xaa Pos. 2

a single of the section of

#### VERIFICATION SUMMARY

PATENT APPLICATION: US/10/714,564B

DATE: 01/09/2007 TIME: 13:12:42

Input Set : N:\efs\01\_09\_07\10714564b\_efs\100086\_418\_SEQLISTING.txt

Output Set: N:\CRF4\01092007\J714564B.raw

```
L:60 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:91 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:127 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:159 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:178 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:301 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
L:2454 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:167 after pos.:0
L:17352 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1310 after pos.:0
L:17392 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1331 after pos.:0
L:17663 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1332 after pos.:0
L:17681 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1332 after pos.:0
L:17790 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1340 after pos.:0
L:17834 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1343 after pos.:0
L:17852 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1343 after pos.:0
```